Index

SUBJECTS

Acne and circulating androgens, 609
Acne treated by cyproterone acetate and isotretinoin compared, 697
Acne treated with isotretinoin and inflammatory response, 343
Acne treatment, clindamycin phosphate and benzoyl peroxidase compared, 487
Acne vulgaris and ethyl lactate, 475
Acrokeratosis paraneoplastica (Summary), 111
Actinic dermatitis and azathioprine, 691
Actinic skin damage and microtopography, 129
Alopecia areata and regrowth of white hair, 155
Alopecia areata, immunological profiles, 163
Alopecia areata, T-cell ratio, 171
Alopecia with syringolymphoid hyperplasia, 95
Aluminium chloride hexahydrate and eccrine glands, 399
Amiodarone pigmentation and photosensitivity, 451
Androgens in male acne, 609
Angiogenesis stimulated by media from cultured keratinocytes, 273
Anglo-Chinese dermatological society, 733
Anthralin irritancy, coal tar and aryl hydrocarbon hydroxylase induction, 671
Anthralin irritancy (Correspondence reply), 247, 248
Anthralin irritancy in psoriatics with vitiligo (Correspondence), 247
Antigen differentiation in Paget's disease, 203
Antihistamines given orally, content of dyes and preservatives, 351
Aryl hydrocarbon hydroxylase activity in hairless mouse epidermis, 29
Aryl hydrocarbon hydroxylase in human skin, 339
Aryl hydrocarbon hydroxylase induction and coal tar, 671
Atopic dermatitis and house dust mites (Correspondence), 735
Atopic eczema and intestinal sugar permeability, 649
Atopic eczema, cholinergic urticaria and autonomic function, 581
Atopic eczema, diets and oral sodium cromoglycate, 457
Atopic eczema, essential fatty acids in plasma phospholipids, 643
Auto-immune bullous disease diagnosed by immunoelectron microscopy, 1
Autoimmune haemolytic anaemia in mycosis fungoides, 495
Autonomic function in cholinergic urticaria and atopic eczema, 581
Azathioprine for chronic actinic dermatitis, 691

Bacteria and lipids in skin correlated, 593
Basex syndrome (Summary), 111
Behçet's disease suppressed with dapsone, 493
Benign mucous membrane pemphigoid and linear IgA disease, 307
Benzoyl peroxide topically increases sebum (Correspondence), 506
Book reviews:
An Atlas of Skin Biopsy. R.P.Misra and I.D.Sanusi, 127
Aspects of the Tongue. R.Froriep, 742
Biochemistry and Physiology of the Skin. Edited by L.A.Goldsmith, 507
Contact and Photocontact Allergens, a Manual of Predictive Test Methods. Thomas Maurer, 381
Cutaneous Infestations of Man and Animal. Edited by L.C.Parish, W.B.Nutting and R.M.Schwartzman, 381
Cutaneous Laser Therapy: Principles and Methods. Edited by K.A.Arndt, J.M.Noe and S.Rosen, 383
Dermatological Formulations: Percutaneous Absorption. B.W.Barry, 741
Dermatologie und Venereologie. G.K.Steigleder, 635
Differential Diagnosis in Dermatopathology. A.B.Ackerman, J.Niven and J.M.Grant-Kels, 127
Fundamentals of Dermatology. T.Nasemann, W.Sauerbrey and W.H.C.Burgdorf, 507
Histopathology of the Skin. W.E.Lever and G.Schaumburg-Lever, 509
Immunodermatology. Edited by I.N.Gigli, P.A. Miescher and H.J.Muller-Eberhard, 127
L'herpès, Nouveaux Traitements Nouveaux Espoirs. M.Jossey, 635
Normal and Abnormal Epidermal Differentiation. Edited by I.A.Bernstein and M.Seiji, 742
Photoimmunology. Edited by J.A.Parrish, M.L.Kripke and W.L.Morison, 252
Pityriasis rubra pilaris—a summary of the literature from 1835–1982. W.Kuster, 508
Practical Dermatology. 4th Edition. I.B.Sneddon and R.E.Church, 252
Proceedings of the Second Fisons Food Allergy Workshop. Chairman R.R.A.Coombs, 253
Quantitative Dermatoglyphics—Classification, Genetics and Pathology. Oxford Monographs of Medical Genetics, No. 10. D.Z.Loesch, 253
Recent Advances in Dermatology, No. 6 A.J.Rook and H.I.Maibach, 509
Skin. P.F.Millington and R.Wilkinson, 381
Stratum Corneum. Edited by R.Marks and G.Plewig, 635
Technical Guide for Smear Examination for Leprosy by Direct Microscopy. D.L.Leiker and A.C.McDougal, 382
Topics in Adolescent Medicine. Edited by B.Shearin, 741

Book reviews (cont.)
Virus Diseases and the Skin. T.W.E.Robinson and R.B.Heath, 128
Bullous diseases, auto-immune and immuno-electron microscopy, 1
Bullous pemphigoid resembling erythema annulare centrifugum (Correspondence), 378

Calcium and retinoic acid effects on glycoconjugates, 17
Carcinoembryonic antigen level in Paget's disease, 211
Carcinoma in PUVA-treated psoriasis, 299
Cell kinetics in psoriasis, 241
Centrifugal lipodystrophy, 107
Chemiluminescence of neutrophils inhibited by dapsone, 657
Cholinergic urticaria, atopic eczema and autonomic function, 581
Cholinergic urticaria, cutaneous and pulmonary reactivity, 587
Clindamycin phosphate and benzoyl peroxide in acne vulgaris, 487
Clobetasol propionate for PUVA overdosage (Correspondence), 633
Coal tar and aryl hydrocarbon hydroxylase induction, 671
Collagen metabolism in epidermolysis bullosa, 177
Cutis laxa and multiple myeloma, 363
Cutis verticis gyrata from traction (Correspondence), 125
Cyclosporin A effects on skin in GVH disease, 469
Cyproterone acetate and isotretinoin in acne, 697

Dapsone in Behçet's disease, 493
Dapsone inhibition of chemiluminescence in neutrophils, 657
Dermal papilla cells, cultured from human hair follicles, 685
Dermatitis herpetiformis IgA and IgA in linear IgA disease, 315
Dermographic wealing and terfenadine, 73
Dermatological photobiology service in hospital, 187
Dermatology out-patient service, 195
Dermatology qualifying examination (Correspondence), 121
Dermatology qualifying examination (Correspondence reply), 736, 737, 738
Dermatoses and immunoenzyme histochemistry (Summary), 115
Detergent-soluble stratum corneum lipids, 283
Dinitrochlorobenzene reactions in skin, 637
Discoid lupus erythematosus and lichen planus, diagnostic difficulties (Summary), 114
Discoid lupus erythematosus, polyclonal B-cell activation and helper–suppressor ratios, 665
Dithranol short-contact therapy and Ingram regime compared, 703
Dithranol therapy and bath staining (Correspondence), 246
Dowling–Degos disease, 627
Drug eruptions, immunology (Summary), 112
Dyes and preservatives in oral antihistamines, 351

Eccrine glands and aluminium chloride hexahydrate, 399
Eccrine sweat glands in iron overload, 51
Ehlers–Danlos syndrome and skull defects (Correspondence), 122
Elastic fibres, orcein and monoclonal antibody HB8, 539
Elastic fibres, transepithelial elimination, 547
Elastosis induced by UV-B and UV-A, 531
Endocrine neoplasia type 2B (Summary), 118
Endothelial cells in urticarial vasculitis, 139
Enzyme changes during psoriasis therapy, 411
Eosinophilic cellulitis, leukotrienes increased, 653
Epidermal protease defective in psoriasis, 405
Epidermal regeneration and elastic fibres, 547
Epidermolysis bullosa acquisita with circulating antibodies (Summary), 116
Epidermolysis bullosa and collagen metabolism, 177
Erythema annulare centrifugum and bullous pemphigoid (Correspondence), 378
Erythema annulare centrifugum and pemphigus(?) (Summary), 116
Erythropoietic porphyria treated by blood transfusion (Correspondence), 634
Essential fatty acids and atopic eczema, 643
Ethyl lactate in acne vulgaris, 475
Examination in dermatology (Correspondence), 121
Examination in dermatology (Correspondence reply), 736, 737, 738
Eczéma craquelé and systemic carcinoma (Correspondence), 246

Fetal prognosis in pemphigoid gestationis, 67
Fibroblasts and plasminogen activator identified, 423

Glycoconjugates affected by retinoic acid and low calcium, 17
Graft-versus-host disease, effects on skin of prophylactic Cyclosporin A, 469
Granulocytic spongiotic papulovesiculosis (Correspondence), 504
Granuloma annulare and HLA antigen frequency, 57

Hair shaft in trichothiodystrophy, 439
Heat and the skin, 369
Heat urticaria and serum complement factor B, 227
Hendersonula toruloidea and *Scytalidium hyalinum* infections in skin, 677
Hepatoerythropoietic porphyria inheritance, 613
Herpes gestationis, fetal prognosis, 67
Histiocytoma, malignant fibrous, in burn scar, 725
Histiocytosis, atypical eruptive and underlying malignancy, 103
HLA antigen frequency in granuloma annulare, 57
House dust mites and atopic dermatitis (Correspondence), 735
Human follicles, papilla cell culture, 685
Human sweat gland ultrastructure, 386
Hyaluronic acid synthesis and retinoids, 607
Hyperaemic hypoxia in venous ulceration (Correspondence), 249
Hyperglobulinaemia E and neutrophil chemotaxis inhibitor, 709
Hypoallergenic diets and oral sodium cromoglycate in atopic eczema, 457

IgA in linear IgA disease and dermatitis herpetiformis, 315
Immunoelectron microscopy—how useful in dermatology? 499
Immuno-electron microscopy in diagnosis of autoimmune bullous diseases, 1
Immunoenzyme histochemistry and dermatoses (Summary), 115
Immunological aspects of psoriasis VI. Effect of isoprenaline and theophylline on mitogenesis, 417
Immunology of drug eruptions (Summary), 112
Intestinal sugar permeability and atopic eczema, 649
Iron deposition in eccrine sweat glands in iron overload, 51
Isotretinoin and cyproterone acetate in acne, 697
Isotretinoin treatment for acne and inflammatory response, 343

Jessner lymphocytic infiltration and the T cell, 523

Keratinocyte culture media stimulate angiogenesis, 273
Keratosis pilaris atrophicans, woolly hair and Noonan's syndrome, 357
Killer cell activity in pustular psoriasis, 565

Langerhans cells dynamics in murine cell culture, 257
Leukaemia from razoxane in psoriasis (Correspondence), 633
Leukotrienes increased in eosinophilic cellulitis, 653
Lichen planus and discoid lupus erythematosus, immunofluorescence and histopathology compared (Summary), 114
Lichen planus, indirect immunofluorescence, 9
Linear IgA disease and benign mucous membrane pemphigoid, 307
Lipids and bacteria in skin correlated, 593
Lipids, detergent-soluble in stratum corneum, 283
Lipodystrophy, centrifugal, 107
Lupus erythematosus, subacute cutaneous (Summary), 113
Lymphatics in skin in lymphoedema visualized, 431
Lymphocyte helper–suppressor ratios in discoid lupus erythematosus, 665
Lymphocytic infiltration of the skin (Jessner) and the T cell, 523
Lymphomatoid granulomatosis and ulceration, 619
Lymphomatoid granulomatosis, natural killer cells (Correspondence), 248
Lymphomatoid granulomatosis, natural killer cells (Correspondence), 379

Malignant fibrous histiocytoma in burn scar, 725
Melanocyte culture, 569
Melanoma, agminate juvenile, in hyperpigmented skin (Summary), 119
Melanoma incidence reduced in acne (Correspondence), 124
Melanomas, establishment of cell lines, 265
Microtopography and actinic skin damage, 129
Minocycline producing pigmentation (Summary), 117
Monoclonal antibody HB8 and elastic fibres, 539
Mycosis fungoides and pagetoid reticulosis, 89
Mycosis fungoides with autoimmune haemolytic anaemia, 495
Myeloma and cutis laxa, 363

Nail hardness and morphology of congenital onychoheterotopia, 717
Necrobiosis lipoidica and cutaneous anaesthesia, 323
Neutrophil chemotaxis inhibitor and hyperglobulinaemia E, 709
News and Notices, 255, 384, 510, 636, 743
Noonan's syndrome, keratosis pilaris atrophicans and woolly hair, 357

Obituary, S.T.Anning, 631
Obituary, K.D.Crow, 631
Obituary, L.J.A.Loewenthal, 376
Onychoheterotopia, morphology and nail hardness, 717
Orcein, monoclonal antibody HB8 and elastic fibres, 539
Out-patient service in skin departments, 195

PAF-acether in human skin inflammation, 45
Pagetoid reticulosis and mycosis fungoides, 89
Paget's disease, carcinoembryonic antigen level, 211
Paget's disease, mammary and extramammary and antigen differentiation, 203
Palmoplantar pustular psoriasis treated by PUVA–etretinate and PUVA–placebo compared, 221
Pemphigoid, benign mucous membrane, and linear IgA disease, 307
Pemphigoid gestationis, fetal prognosis, 67
Pemphigus(?) presenting as erythema annulare centrifugum (Summary), 116
Pemphigus, role of plasminogen activator, 293
Phospholipase A_2 raised in uninvolved psoriatic skin, 731
Photobiological service in dermatology departments, 187
Photosensitivity and amiodarone pigmentation, 451
Pigmentation from minocycline (Summary), 117
Plasma phospholipids and atopic eczema, 643
Plasminogen activator and human fibroblasts, 423
Plasminogen activator synthesis and pemphigus antibody, 293
Platelet activating factor in human skin inflammation, 45
Polyclonal B-cell activation in discoid lupus erythematosus, 665
Polymorphonuclear leukocytes, role in skin infections, 151
Porphyria, hepatoerythropoietic, inheritance, 613
Preservatives and dyes in oral antihistamines, 351
Propionibacterium acnes difficulties in producing antisera, 61
Protease deficiency in psoriatic epidermis, 405
Psoriasis, cell kinetics, 241
Psoriasis, defective epidermal protease, 405
Psoriasis, generalized pustular, and killer cell activity, 565
Psoriasis immunology, effect of isoprenaline and theophylline on mitogenesis, 417
Psoriasis, metabolic changes during therapy, 411
Psoriasis, short-contact dithranol and Ingram regime compared, 703
Psoriasis, T lymphocytes and HLA expression, 555
Psoriasis, T cell subpopulations in blood and skin, 37
Psoriasis treated with high dose rate UV-B, 81

Psoriasis treated with PUVA and carcinoma, 299
Psoriasis treated with razoxane and leukaemia (Correspondence), 633
Psoriasis treatment, PUVA–etretinate and PUVA–placebo compared, 215
Psoriatic uninvolved skin, raised phospholipase A_2, 731
Psoriatics with vitiligo and anthralin irritancy (Correspondence), 247
Pustule formation in skin infections, 151
PUVA causing cutaneous carcinoma, 299
PUVA for scleromyxoedema, 347
PUVA overdosage treated by clobetasol propionate (Correspondence), 633
PUVA–etretinate and PUVA–placebo compared in palmoplantar pustulosis, 221
PUVA–etretinate and PUVA–placebo compared in psoriasis, 215

Razoxane and leukaemia in psoriasis (Correspondence), 633
Retinoic acid and low calcium effect on glycoconjugates, 17
13-*cis*-retinoic acid in acne and inflammatory response, 343
Retinoids increase hyaluronic acid synthesis, 607

Scleromyxoedema treated by PUVA, 347
Scytalidium hyalinum and *Hendersonula toruloidea* infections in skin, 677
Sebaceous gland hypertrophy inhibited by progesterone, 185
Sebaceous glands, intercellular junctions and permeability barriers, 601
Skin bacteria and lipids correlated, 593
Skin cancer and actinic skin damage, 129
Skull defects in Ehlers–Danlos syndrome (Correspondence), 122
Sodium cromoglycate in atopic eczema, 457
Solar keratoses and microtopography, 129
Solar urticaria tolerance, 327
Stratum corneum detergent-soluble lipids, 283
Sweat gland ultrastructure I. The fundus, 386
Syringolymphoid hyperplasia with alopecia, 95

T-cell lymphoma in skin, diagnosis, 511
T-cell subpopulations in psoriatic blood and skin, 37
T-cells and Jessner's lymphocytic infiltrate, 523
T cells in alopecia areata, 171
T lymphocytes and HLA expression in psoriasis, 555
Terfenadine and dermographism, 73
Tick bite, 233
Transepithelial elimination of elastic fibres, 547
Treatment. Behçet's disease suppressed with dapsone, 493
Treatment. Chronic actinic dermatitis with azathioprine, 685
Treatment. Clindamycin phosphate and benzoyl peroxide compared in acne, 487
Treatment. Ethyl lactate in acne, 475
Treatment. Psoriasis, short-contact dithranol and Ingram regime compared, 703
Trichothiodystrophy: electron-histochemical study, 439

U.K. qualifying examination in dermatology (Correspondence), 121, 736, 737, 738
Ulceration, venous and hyperaemic hyperaemic hypoxia (Correspondence), 249
Ulerythema oophryogenes, woolly hair and Noonan's syndrome, 357
Urticaria, cholinergic, atopic eczema and autonomic function, 581
Urticaria, cholinergic, cutaneous and pulmonary reactivity, 587
Urticaria, heat, and serum complement factor B, 227
Urticaria, solar tolerance, 327
Urticarial vasculitis and endothelial cells, 139
UV-B and UV-A induced dermal elastosis, 531
UV-B phototherapy in high dose rates in psoriasis, 81

Vasculitis, urticarial, and endothelial cells, 139
Venous ulceration, hyperaemic hypoxia (Correspondence), 249
Vitiligo with psoriasis and anthralin irritancy (Correspondence), 247
Von Zumbusch psoriasis and killer cell activity, 565

Woolly hair, keratosis pilaris atrophicans and Noonan's syndrome, 357

AUTHORS

ALDRIDGE, R.D., SMITH, M.E. and MAIN, R.A. Dyes and preservatives in oral antihistamines, 351
ALEXANDER, J.C. *see* WEBSTER, G.F.
ALLEN, G.E. *see* MIDDLETON, D.
ANDARY, M. *see* GUILHOU, J.J.
ANDERSSON, L. *see* KARINIEMI, A.-L.
AOKI, K., KAMATA, H., IIDA, T. and SUZUKI, H. Tick bite: two cases studied by scanning electron microscopy, 233
AOKI, K. and SUZUKI, H. The morphology and hardness of the nail in two cases of congenital onychoheterotopia, 717
AOZASA, K. *see* YAMAMURA, T.
ARCHER, C.B., PAGE, C.P., PAUL, W., MORLEY, J. and MACDONALD, D.M. Inflammatory characteristics of platelet activating factor (PAF-acether) in human skin, 45
ARMSTRONG, B.K. *see* HOLMAN, C.D.J.
ATKINS, P.C. *see* KEAHEY, T.M.

BAART DE LA FAILLE, H. and VAN HATTUM, J. Blood transfusion as treatment of erythropoietic porphyria (Correspondence), 634
BLYTH, B. *see* HINDSON, C.
BAKER, B.S., SWAIN, A.F., FRY, L. and VALDIMARSSON, H. Epidermal T lymphocytes and HLA-DR expression in psoriasis, 555
BAKER, B.S., SWAIN, A.F., VALDIMARSSON, H. and FRY, L. T-cell subpopulations in the blood and skin of patients with psoriasis, 37
BAKER, H. *see* RESHAD, H.
BAKKER, P.M. *see* BOS, J.D.
BALMUS, K.J. *see* ZIJDENBOS, A.M.
BARNHILL, R.L., PARKINSON, E.K. and RYAN, T.J. Supernatants from cultured human epidermal keratinocytes stimulate angiogenesis, 273
BARRETT, A.J. *see* HARPER, J.I.
BEAGLEY, J. *see* HOLMAN, C.D.J.
BENTON, E.C. and HUNTER, J.A.A. The dermatology out-patient service: a study of out-patient referrals in a Scottish population, 195
BERGERS, M. *see* VERHAGEN, A.
BERTAUX, B. *see* DUPERTRET, L.
BLACK, J.G. *see* PROTTEY, C.
BLACK, M.M. *see* GREAVES, M.W.
BLACK, M.M. *see* HOLMES, R.C.
BLEEHAN, S. *see* GREAVES, M.W.
BLEEHEN, S.S. *see* MESSENGER, A.G.
BOER J. *see* SCHOTHORST, A.A.
BOORSMA, D.M., NIEBOER, C. and BRUYNZEEL, D.P. Immunoenzyme histochemistry and dermatosis (Summary), 115
BOS, J.D., SILLEVIS SMITT, J.H., KOOPMANS, R. and BAKKER, P.M. Natural killer cells involved lymphomatoid granulomatosis (Correspondence), 379
BOTHAM, P.A. *see* CARR, M.M.
BRAUN-FALCO, O. *see* HÖLZLE, E.
BROCHIER, J. *see* DAWSON, J.F.
BRODTHAGEN, H. *see* POULSEN, J.T.
BRÖCKER, E.B. *see* VAKILZADEH, F.
BRUYNZEEL, D.P. *see* BOORSMA, D.M.
BURROWS, D. *see* GREAVES, M.W.
BURTON, J.L. *see* MANKU, M.S.

CAFFREY, E.A. *see* HORTON, J.J.
CAMISA, C. *see* OLSEN, R.G.
CAMP, R. *see* GREAVES, M.W.
CAREY, W.D. and PRUNIERAS, M. An improved method for the establishment of cell lines from primary skin melanomas, 265
CARR, M.M., BOTHAM, P.A., GAWKRODGER, D.J., MCVITTIE, E., ROSS, J.A., STEWART, I.C. and HUNTER, J.A.A. Early cellular reactions induced by dinitrochlorobenzene in sensitized human skin, 637
CEDERHOLM-WILLIAMS, S.A. and PORTER, N.W. Identification of the plasminogen activator secreted by human fibroblasts, 423
CHALLONER, F. *see* RESHAD, H.
CHAMBERS, D.A. *see* COHEN, R.L.
CHINARRO, S. *see* LAZARO, P.
CLANACHAN, I. *see* FOREMAN, M.I.
CLARK, A. *see* ROONEY, N.
CLARK, A. *see* WOOD, M.L.
CLARK, K.G.A. *see* HORTON, J.J.
CLOT J. *see* GUILHOU, J.J.
COBURN, P. *see* PARKER, S.
COCHRAN, R. *see* TUCKER, S.B.
COHEN, R.L. and CHAMBERS, D.A. Dynamics of Langerhans cells in genetically defined murine epidermal cell culture, 257
COMAISH, S. *see* GREAVES, M.W.
COOPER, B.T. *see* UKABAM, S.O.
COTTERILL, J.A. *see* STATHAM, B.N.
CROCCHIOLO, P. *see* ESPOSITO, R.
CROVATO, F. *see* REBORA, A.
CUNLIFFE, W.J. *see* HOLLAND, D.B.
CUNLIFFE, W.J. *see* INGHAM, E.
CUNLIFFE, W.J. *see* KEARNEY, J.N.
CZARNECKI, D. *see* MONTGOMERY, I.
CZARNETZKI, B.M., GALINSKI, C. and MEISTER, R. Cutaneous and pulmonary reactivity in cholinergic urticaria, 587

DAKER, M.G. *see* HORTON, J.J.
DALLIMORE, K.J. *see* HOLMAN, C.D.J.
DALY, B.M. *see* ORMEROD, A.D.
DAWBER, R.P.R. *see* GUMMER, C.L.
DAWSON, J.F., BROCHIER, J., SCHMITT, D., SAELAND, S. and THIVOLET, J. Elastic fibres: histological correlation with orcein and a new monoclonal antibody, HB8, 539
DE SALAMANCA, R.E. *see* LAZARO, P.
DESAI, S. *see* HARPER, J.I.
DEVITT, H. *see* FOREMAN, M.I

DIFFEY, B.L., FARR, P.M. and IVE, F.A. The establishment and clinical value of a dermatological photobiology service in a district general hospital, 187
DIJKSTRA, A. *see* WILLEMZE, R.
DON, P. *see* NIELSEN, H.I.
DU PLESSIS, D.P. *see* OLSEN, R.G.
DUPERTRET, L., BERTAUX, B., FOSSE, M. and TOURAINE, R. Psoriasis: a defect in the regulation of epidermal proteases, as shown by serial biopsies after cantharidin application, 405
DUBERTRET, L. *see* PROST, C.
DYKES, P.J., WILLIAMS, D.L. and MARKS, R. Analysis of the non-ionic detergent-soluble lipids of human stratum corneum, 283

EADY, R.A.J. *see* GREAVES, M.W.
EADY, R.A.J. *see* RUSSELL JONES, R.
EHRLICH, A. and MATTISON, T.D. A serum inhibitor of neutrophil chemotaxis associated with hyperglobulinaemia E in a patient with lymphoma and recurrent skin infection, 709
ELDER, G.H. *see* LAZARO, P.
ELDER, H.Y. *see* MONTGOMERY, I.
ESPOSITO, R., CROCCHIOLO, P., GALLI, M. and LAZZARIN, A. Structural skull defects in type IV Ehlers–Danlos syndrome (Correspondence), 122
ERTL, D.C. *see* PUHVEL, S.M.
EVANS, P.R. *see* HOLMAN, B.K.

FAIRRIS, G.M. *see* STATHAM, B.N.
FALANGA, V., ZHENG, P. and LAVKER, R.M. Ultrastructural study of iron deposition in the eccrine sweat glands of patients with iron overload, 51
FARR, P.M. and IVE, F.A. PUVA treatment of scleromyxoedema, 347
FARR, P.M. *see* DIFFEY, B.L.
FINNEN, M.J., LAWRENCE, C.M. and SHUSTER, S. Human skin aryl hydrocarbon hydroxylase, 339
FINNEN, M.J. *see* LAWRENCE, C.M.
FLANDRIN, G. *see* LESSANA-LEIBOWITCH, M.
FLANNIGAN, S.A. *see* TUCKER, S.B.
FLEUREN, E. *see* VAN DE KERKHOF, P.C.M.
FOO, M.H. *see* TING, H.C.
FOREMAN, M.I., DEVITT, H. and CLANACHAN, I. Inhibition of dihydrotestosterone-mediated hamster sebaceous gland hypertrophy by progesterone, 185
FORSMAN, L. *see* KARINIEMI, A.-L.
FOSSE, M. *see* DUPERTRET, L.
FOSSE, M. *see* PROST, C.
FREEMAN, K. and WARIN, A.P. Staining of baths by short-contact dithranol therapy (Correspondence), 246
FREINKEL, R.K. *see* ROBINSON, J.K.
FRY, L. *see* BAKER, B.S.
FRY, L. *see* LEONARD, J.N.
FUNDENBERG, H.H. *see* GALBRAITH, G.M.P.
FURUE, M. *see* OJI, M.

GALAND, P. *see* HEENEN, M.
GALBRAITH, G.M.P., THIERS, B.H., VASILY, D.B. and FUDENBERG, H.H. Immunological profiles in alopecia areata, 163
GALINSKI, C. *see* CZARNETZKI, B.M.
GALLI, M. *see* ESPOSITO, R.
GAWKRODGER, D.J. *see* CARR, M.M.
GEORGE, D. *see* PROTTEY, C.
GIBSON, I.M. *see* HOLMAN, C.D.J.
GILKES, J.J.H. *see* LEONARD, J.N.
GOMMANS, J.M. *see* VERHAGEN, A.
GOTSCHALK, R. *see* ROBINSON, J.K.
GOWLAND, G. *see* HOLLAND, D.B.
GOWLAND, G. *see* INGHAM, E.
GRAHAM, P., HALL-SMITH, S.P., HARRIS, J.M. and PRICE, M.L. A study of hypoallergenic diets and oral sodium cromoglycate in the management of atopic eczema, 457
GREAVES, M.W. Irritancy of anthralin in patients with psoriasis and widespread vitiligo (Correspondence reply), 247
GREAVES, M.W., IVE, F.A., BLACK, M.M., BLEEHEN, S., CAMP, R., COMAISH, S., GRIFFITHS, A., KECZKES, K., MCDONALD, D., MARKS, R., RIDLEY, C.M., SHRANK, A., WARIN, A., WILKINSON, J., VICKERS, C.F.H., BURROWS, D. and EADY, R.A.J. U.K. qualifying examination in dermatology (Correspondence), 121
GREAVES, M.W. *see* MURPHY, G.M.
GREAVES, M.W. *see* WONG, E.
GRIFFITHS, A. *see* GREAVES, M.W.
GUILHOU, J.J., ANDARY, M. and CLOT, J. Immunological aspects of psoriasis VI. Impairment of isoprenaline and theophylline-induced inhibition of mitogen responsiveness, 417
GUMMER, C.L., DAWBER, R.P.R. and PRICE, V.H. Trichothiodystrophy: an electron-histochemical study of the hair shaft, 439

HAFFENDEN, G.P. *see* LEONARD, J.N.
HALL-SMITH, S.P. *see* GRAHAM, P.
HARMAN, R.R.M. *see* MANN, R.J.
HARPER J.I., KENDRA, J.R., DESAI, S., STAUGHTON, R.C.D., BARRETT, A.J. and HOBBS, J.R. Dermatological aspects of the use of Cyclosporin A for prophylaxis of graft-versus-host disease, 469
HARRINGTON, C. *see* ROONEY, N.
HARRINGTON, C.I. *see* WOOD, M.L.
HARRIS, J.M. *see* GRAHAM, P.
HASHIMOTO, K., SINGER, K. and LAZARUS, G.S. The effect of corticosteroids, dapsone and gold upon plasminogen activator synthesis and secretion by human epidermal cells cultured with pemphigus antibody, 293
HAWK, J.L.M. *see* LEIGH, I.M.
HAY, R.J. and MOORE, M.K. Clinical features of superficial fungal infections caused by *Hendersonula toruloidea* and *Scytalidium hyalinum*, 677
HEENEN, M. and GALAND, P. On cell kinetics in psoriasis, 241
HINDSON, C., SPIRO, J. and BLYTH, B. Clobetasol propionate for PUVA overdosage (Correspondence), 633
HOBBS, J.R. *see* HARPER, J.I.
HOLBOROW, E.J. *see* LEONARD, J.N.
HOLLAND, D.B., GOWLAND, G. and CUNLIFFE, W.J.

Inflammatory responses in acne patients treated with 13-*cis*-retinoic acid (isotretinoin), 343
HOLLAND, K.T. *see* INGHAM, E.
HOLLAND, K.T. *see* KEARNEY, J.N.
HOLMAN, C.D.J., ARMSTRONG, B.K., EVANS, P.R., LUMSDEN, G.L., DALLIMORE, K.J., MEEHAN, C.J., BEAGLEY, J. and GIBSON, I.M. Relationship of solar keratosis and history of skin cancer to objective measures of actinic skin damage, 129
HOLMES, R.C. and BLACK, M.M. The fetal prognosis in pemphigoid gestationis (herpes gestationis), 67
HOLT, D.W. *see* ZACHARY, C.B.
HOLUBAR, K. Immunoelectron microscopy—how useful is it for the dermatologist? 499
HÖLZLE, E. and BRAUN-FALCO, O. Structural changes in axillary eccrine glands following long-term treatment with aluminium chloride hexahydrate solution, 399
HONDA, T. *see* YAMAMURA, T.
HORNE, C.H.W. *see* ORMEROD, A.D.
HORROBIN, D.F. *see* MANKU, M.S.
HORTON, J.J., CAFFREY, E.A., CLARK, K.G.A., MACDONALD, D.M., WELLS, R.S. and DAKER, M.G. Leukaemia in psoriatic patients treated with razoxane (Correspondence), 633
HUNTER, J.A.A. *see* BENTON, E.C.
HOWES, D. *see* PROTTEY, C.
HUNTER, J.A.A. *see* CARR, M.M.

IIDA, T. *see* AOKI, K.
IMAIZUMI, S., IWATSUKI, K., YAMADA, M. and TAGAMI, H. Mechanisms of pustule formation in cutaneous bacterial and viral infections: alterations of neutrophil membrane surface receptors, 151
INGHAM, E., HOLLAND, K.T., GOWLAND, G. and CUNLIFFE, W.J. Difficulties in producing antibodies to purified *Propionibacterium acnes* exocellular enzymes, 61
INGHAM, E. *see* KEARNEY, J.N.
IVE, F.A. *see* DIFFEY, B.L.
IVE, F.A. *see* FARR, P.M.
IVE, F.A. *see* GREAVES, M.W.
IWATSUKI, K. *see* IMAIZUMI, S.

JABŁOŃSKA S. *see* KAMIŃSKI, M.
JAQUETI, G. *see* LAZARO, P.
JOHANSSON, E.A., REUNALA, T., KOSKIMIES, S., LAGERSTEDT, A., KAUPPINEN, K. and TIMONEN, K. Localized heat urticaria associated with a decrease in serum complement factor B (C_3 proactivator), 227
JOHANSSON, E. *see* WANGEL, A.G.

KAIDBEY, K. *see* KEAHEY, T.M.
KAMATA, H. *see* AOKI, K.
KAMIŃSKI, M., SZMURLO, A., PAWIŃSKA and JABŁOŃSKA, S. Decreased natural killer cell activity in generalized pustular psoriasis (von Zumbusch type), 565
KARINIEMI, A.-L., FORSMAN, L., WAHLSTRÖM, T., VESTERINEN, E. and ANDERSSON, L. Expression of differentiation antigens in mammary and extramammary Paget's disease, 203
KAUPPINEN, K. *see* JOHANSSON, E.A.
KEAHEY, T.M., LAVKER, R.M., KAIDBEY, K., ATKINS, P.C. and ZWEIMAN, B. Studies on the mechanism of clinical tolerance in solar urticaria, 327
KEARNEY, J.N., INGHAM, E., CUNLIFFE, W.J. and HOLLAND, K.T. Correlations between human skin bacteria and skin lipids, 593
KECZKES, K. *see* GREAVES, M.W.
KENDRA, J.R. *see* HARPER, J.I.
KENTER, C.A.C. *see* SCHOTHORST, A.A.
KERO, M., PALOTIE, A. and PELTONEN, L. Collagen metabolism in two rare forms of epidermolysis bullosa, 177
KHARA, A.K. and SINGH, G. Acquired cutis verticis gyrate due to rotational traction (Correspondence), 125
KING, I.A. Increased epidermal hyaluronic acid synthesis caused by four retinoids, 607
KINGSTON, T. and MARKS R. Irritancy of anthralin in patients with psoriasis and widespread vitiligo (Correspondence reply), 248
KITSON, N. and VAN LENNEP, E.W. Intercellular junctions and the permeability barrier in human sebaceous glands, 601
KLIGMAN, A.M. *see* KLIGMAN, L.H.
KLIGMAN, L.H. and KLIGMAN, A.M. Reflections on heat, 369
KOH, M.S. *see* MAJEWSKI, B.B.J.
KOOPMANS, R. *see* BOS, J.D.
KOSKIMIES, S. *see* JOHANSSON, E.A.
KRAUSE, L.B. and SHUSTER, S. The effect of terfenadine on dermographic wealing, 73

LAGERSTEDT, A. *see* JOHANSSON, E.A.
LAKER, M.F. *see* MARSDEN, J.R.
LAMY, F. *see* LESSANA-LEIBOWITCH, M.
LAVKER, R.M. *see* FALANGA, V.
LAVKER, R.M. *see* KEAHEY, T.M.
LAWRENCE, C.M., FINNEN, M.J. and SHUSTER, S. Effect of coal tar on cutaneous aryl hydrocarbon hydroxylase induction and anthralin irritancy, 671
LAWRENCE, C.M., MARKS, J., PARKER, S. and SHUSTER, S. A comparison of PUVA–etretinate and PUVA–placebo for palmoplantar pustular psoriasis, 221
LAWRENCE, C.M. *see* FINNEN, M.J.
LAWRENCE, C.L. *see* PARKER, S.
LAZARO, P., DE SALAMACA, R.E., ELDER, G.H., VILLASECA, M.J., CHINARRO, S. and JAQUETI, G. Is hepatoerythropoietic porphyria a homozygous form of porphyria cutanea tarda?. Inheritance of uroporphyrinogen decarboxylase deficiency in a Spanish family, 613
LAZARUS, G.S. *see* HASHIMOTO, K.
LAZZARIN, A. *see* ESPOSITO, R.
LEECH, R.W. *see* PROTTEY, C.
LEIGH, I.M. and HAWK, J.L.M. Treatment of chronic actinic dermatitis with azathioprine, 691
LEONARD, J.N., HAFFENDEN, G.P., UNSWORTH, D.J., RING, N.P., HOLBOROW, E.J. and FRY, L. Evidence that the IgA in patients with linear IgA disease is qualitatively different from that of patients with dermatitis herpetiformis, 315
LEONARD, J.N., WRIGHT, P., WILLIAMS, D.M., GILKES, J.J.H., HAFFENDEN, G.P., MCMINN, R.M.H. and

FRY, L. The relationship between linear IgA disease and benign mucous membrane pemphigoid, 307
LESSANA-LEIBOWITCH, M., PRADO, A., PALANGIE, A., LAMY, F. and FLANDRIN, G. The diagnosis of cutaneous T-cell lymphoma by morphometric evaluation of the cellular infiltrate, using semithin sections, 511
LEYDEN, J.J. *see* WEBSTER, G.F.
LORD, G.P. *see* MARSDEN, J.R.
LUMSDEN, G.L. *see* HOLMAN, C.D.J.

MCARTHUR, W.P. *see* WEBSTER, G.F.
MACDONALD, D.M. *see* ARCHER, C.B.
MCDONALD, D. *see* GREAVES, M.W.
MACDONALD, D.M. *see* HORTON, J.J.
MACDONALD, D.M. *see* ZACHARY, C.B.
MCEWAN JENKINSON, D. *see* MONTGOMERY, I.
MACKIE, R.M. and TURBITT, M.L. A case of Pagetoid reticulosis bearing the T cytotoxic suppressor surface marker on the lymphoid infiltrate: further evidence that Pagetoid reticulosis is not a variant of mycosis fungoides, 89
MACKIE, R.M. *see* MONTGOMERY, I.
MCMINN, R.M.H. *see* LEONARD, J.N.
MCVITTIE, E. *See* CARR, M.M.
MAEDA, M. *see* YAMAMURA, T.
MAIN R.A. *see* ALDRIDGE, R.D.
MAIN, R.A. *see* ORMEROD, A.D.
MAJEWSKI, B.B.J., KOH, M.S., TAYLOR, D.R., WATSON, B. and RHODES, E.L. Increased ratio of helper to suppressor T cells in alopecia areata, 171
MANKU, M.S., HORROBIN, D.F., MORSE, N.L., WRIGHT, S. and BURTON, J.L. Essential fatty acids in the plasma phospholipids of patients with atopic eczema, 643
MANN, R.J. and HARMAN, R.R.M. Cutaneous anaesthesia in necrobiosis lipoidica, 323
MANN, R.J. *see* UKABAM, S.O.
MARKS, J. U.K. qualifying examination in dermatology (Correspondence), 736
MARKS, J. *see* LAWRENCE, C.M.
MARKS, J. *see* PARKER S.
MARKS, J.M. *see* WHITE, S.I.
MARKS, R. *see* DYKES, P.J.
MARKS, R. *see* GREAVES, M.W.
MARKS, R. *see* KINGSTON, T.
MARSDEN, J.R., LAKER, M.F., LORD, G.P. and SHUSTER, S. Effect of low dose cyproterone acetate on the response of acne to isotretinoin, 697
MARSDEN, J.R. *see* WHITE, S.I.
MATTISON, T.D. *see* EHRLICH, A.
MEEHAN, C.J. *see* HOLMAN, C.D.J.
MEIJER, C.J.L.M. *see* WILLEMZE, R.
MEISTER, R. *see* CZARNETZKI, B.M.
MELOTTE, P. *see* PIERARD-FRANCHIMONT, C.
MESSENGER, A.G. The culture of dermal papilla cells from human hair follicles, 685
MESSENGER, A.G. and BLEEHEN, S.S. Alopecia areata: light and electron microscopic pathology of the regrowing white hair, 155
MIDDLETON, D. and ALLEN, G.E. HLA antigen frequency in granuloma annulare, 57
MIER, P.D. *see* VAN DE KERKHOF, P.C.M.
MIER, P.D. *see* VERHAGEN, A.
MIHARA, M. Transepithelial elimination of elastic fibres in the regenerated human epidermis, 547
MONASCH, E. *see* WOERDEMAN, M.J.
MONTGOMERY, I., MCEWAN JENKINSON, D., ELDER, H.Y., CZARNECKI, D. and MACKIE, R.M. The effects of thermal stimulation on the ultrastructure of the human atrichial sweat gland. I. The fundus, 385
MOORE, M.K. *see* HAY, R.J.
MORELY, J. *see* ARCHER, C.B.
MORSE, N.L. *see* MANKU, M.S.
MURPHY, G.M., SMITH, S.E., SMITH, S.A. and GREAVES, M.W. Autonomic function in cholinergic urticaria and atopic eczema, 581

NIEBOER, C. The diagnostic significance of the immunofluorescence method in comparison with the histopathology in discoid lupus erythematosus and lichen planus (Summary), 114
NIEBOER, C. *see* BOORSMA, D.M.
NIELD, V.S., PEGUM, J.S. and WELLS, R.S. The association of keratosis pilaris atrophicans and woolly hair, with and without Noonan's syndrome, 357
NIELSEN, H.I. and DON, P. Culture of normal adult human melanocytes, 569

O'BRIEN, T. *see* WONG, E.
OJI, M., FURUE, M. and TAMAKI, K. Serum carcinoembryonic antigen level in Paget's disease, 211
OLSEN, R.G., DU PLESSIS, D.P., SCHULZ, E.J. and CAMISA, C. Indirect immunofluorescence microscopy of lichen planus, 9
ORMEROD, A.D., DALY, B.M., MAIN, R.A. and HORNE, C.H.W. Bullous pemphigoid resembling erythema annulare centrifugum (Correspondence), 378

PAGE, C.P. *see* ARCHER, C.B.
PALANGIE, A. *see* LESSANA-LEIBOWITCH, M.
PALOTIE, A. *see* KERO, M.
PARKER, S., COBURN, P., LAWRENCE, C.L., MARKS, J. and SHUSTER, S. A randomized double-blind comparison of PUVA–etretinate and PUVA–placebo in the treatment of chronic plaque psoriasis, 215
PARKER, S. *see* LAWRENCE, C.M.
PARKINSON, E.K. *see* BARNHILL, R.L.
PARTSCH, H. Hyperaemic hypoxia in venous ulceration (Correspondence), 249
PARTSCH, H., URBANEK, A. and WENZEL-HORA, B. The dermal lymphatics in lymphoedema visualized by indirect lymphography, 431
PASLIN, D.A. An immunological mechanism for the reduced incidence of malignant melanoma in patients with acne? (Correspondence), 124
PAUL, W. *see* ARCHER, C.B.
PAWIŃSKA, M. *see* KAMIŃSKI, M.
PEGUM, J.S. *see* NEILD, V.S.
PELTONEN, L. *see* KERO, M.
PIERARD, G.E. *see* PIERARD-FRANCHIMONT, G.E.
PIERARD-FRANCHIMONT, C., MELOTTE, P. and PIERARD, G.E. Topical benzoyl peroxide increases the sebum excretion rate (Correspondence), 506

POLLOCK, D.J. *see* RESHAD, H.
PORTER, N.W. *see* CEDERHOLM-WILLIAMS, S.A.
POST, M.J.M. Epidermolysis bullosa acquisita with circulating antibodies (Summary), 116
POST, M.J.M. Pemphigus(?) presenting as erythema annulare centrifugum (Summary), 116
POULSEN, J.T., STABERG, B., WULF, H.C. and BRODTHAGEN, H. Dermal elastosis in hairless mice after UV-B and UV-A applied simultaneously, separately or sequentially, 531
PRADO, A. *see* LESSANA-LEIBOWITCH, M.
PRICE, M.L. *see* GRAHAM, P.
PRICE, V.H. *see* GUMMER, C.L.
PROCTOR, S. *see* WHITE, S.I.
PROST, C., DUBERTRET, L., FOSSE, M., WECHSLER, J. and TOURAINE, R. A routine immuno-electron microscopic technique for localizing an auto-antibody on epidermal basement membrane, 1
PROTTEY, C., GEORGE, D., LEECH, R.W., BLACK, J.G., HOWES, D. and VICKERS, C.F.H. The mode of action of ethyl lactate as a treatment for acne, 475
PRUNIERAS, M. *see* CAREY, W.D.
PUHVEL, S.M. and ERTL, D.C. Decreased induction of aryl hydrocarbon hydroxylase activity in hyperproliferative hairless mouse epidermis, 29

RANKI, A. *see* WANGEL, A.G.
REBORA, A. and CROVATO, F. The spectrum of the Dowling–Degos disease, 627
RESHAD, H., CHALLONER, F., POLLOCK, D.J. and BAKER, H. Cutaneous carcinoma in psoriatic patients treated with PUVA, 299
REUNALA, T. *see* JOHANSSON, E.A.
RHODES, E.L. *see* MAJEWSKI, B.B.J.
RIDLEY, C.M. Eczéma craquelé and systemic carcinoma (Correspondence), 246
RIDLEY, C.M. *see* GREAVES, M.W.
RING, N.P. *see* LEONARD, J.N.
ROBERTS, D.L.L. House dust mite avoidance and atopic dermatitis (Correspondence), 735
ROBERTS, D.L.L. Irritancy of anthralin in patients with psoriasis and widespread vitiligo (Correspondence), 247
ROBINSON, J.K., FREINKEL, R.K. and GOTSCHALK, R. Effect of retinoic acid and low calcium conditions on surface glycoconjugates defined by differential lectin labelling in mouse epidermal cell culture, 17
ROONEY, N., SLATER, D., CLARK, A., WOOD, M. and HARRINGTON, C. Natural killer cells in lymphomatoid granulomatosis (Correspondence), 248
ROONEY, N. *see* WOOD, M.L.
ROSS, J.A. *see* CARR, M.M.
ROWELL, N.R. *see* STATHAM, B.N.
RUSSELL JONES, R. and EADY, R.A.J. Endothelial cell pathology as a marker for urticarial vasculitis: a light microscopic study, 139
RYAN, T.J. *see* BARNHILL, R.L.
RYATT, K.S. *see* STATHAM, B.N.

SAELAND, S. *see* DAWSON, J.F.
SANO, S. *see* YAMAMURA, T.
SAVIN, J. The Anglo-Chinese dermatological society: visit to the People's Republic of China—1983, 733
SAYAMI, S. and TAGAMI, H. Granulocytic spongiotic papulovesiculosis. A new entity? (Correspondence), 504
SCHMITT, D. *see* DAWSON, J.F.
SCHOTHORST, A.A., BOER, J., SUURMOND, D. and KENTER, C.A.C. Application of controlled high dose rates in UV-B phototherapy for psoriasis, 81
SCHULZ, E.J. *see* OLSEN, R.G.
SHARQUIE, K.E. Suppression of Behcet's disease with dapsone, 493
SHRANK, A. *see* GREAVES, M.W.
SHUSTER, S. *see* FINNEN, M.J.
SHUSTER, S. *see* KRAUSE, L.B.
SHUSTER, S. *see* LAWRENCE, C.M.
SHUSTER, S. *see* MARSDEN, J.R.
SHUSTER, S. *see* PARKER, S.
SHUSTER, S. Examining dermatologists (Correspondence), 738
SILLEVIS SMITT, J.H. *see* BOS, J.D.
SINGER, K. *see* HASHIMOTO, K.
SINGH, G. *see* KHARE, A.K.
SLATER, D. *see* ROONEY, N.
SLATER, D.N. *see* WOOD, M.L.
SLATER, D.N. *see* ZACHARY, C.B.
SMITH, M.E. *see* ALDRIDGE, R.D.
SMITH, S.A. *see* MURPHY, G.M.
SMITH, S.E. *see* MURPHY, G.M.
SPIRO, J. *see* HINDSON, C.
STABERG, B. *see* POULSEN, J.T.
STARINK, TH.M. Multiple endocrine neoplasia type 2B (Summary), 118
STATHAM, B.N., EAIRRIS, G.M. and COTTERILL, J.A. Atypical eruptive histiocytosis—a marker of underlying malignancy? 103
STATHAM, B.N., RYATT, K.S. and ROWELL, N.R. Short-contact dithranol therapy—a comparison with the Ingram regime, 703
STAUGHTON, R.C.D. *see* HARPER, J.I.
STEWART, I.C. *see* CARR, M.M.
STOREY, G.C.A. *see* ZACHARY, C.B.
SUURMOND, D. *see* SCHOTHORST, A.A.
SUZUKI, H. *see* AOKI, K.
SWAIN, A.F. *see* BAKER, B.S.
SZMURLO, A. *see* KAMIŃSKI M.

TAGAMI, H. *see* IMAIZUMI, S.
TAGAMI, H. *see* SAYAMI, S.
TAKADA, A. *see* YAMAMURA, T.
TAMAKI, K. *see* OJI, M.
TAUSEND, R. *see* TUCKER, S.B.
TAYLOR, D.R. *see* MAJEWSKI, B.B.J.
THIERS, B.H. *see* GALBRAITH, G.M.P.
THIJSSEN, J.H.H. *see* VAN DER MEEREN, H.L.M.
THIVOLET, J. *see* DAWSON, J.F.
TIMONEN, K. *see* JOHANSSON, E.A.
TING, H.C., FOO, M.H. and WANG, F. Acquired cutis laxa and multiple myeloma, 363
TOURAINE, R. *see* DUPERTRET, L.
TOURAINE, R. *see* PROST, C.
TUCKER, S.B., TAUSEND, R., COCHRAN, R. and FLANNIGAN, S.A. Comparison of topical clindamycin phos-

phate, benzoyl peroxide and a combination of the two for the treatment of acne vulgaris, 487
TURBITT, M.L. *see* MACKIE, R.M.

UKABAM, S.O., MANN, R.J. and COOPER, B.T. Small intestinal permeability to sugars in patients with atopic eczema, 649
UNSWORTH, D.J. *see* LEONARD, J.N.
URBANEK, A. *see* PARTSCH, H.

VAKILZADEH, F. and BRÖCKER, E.B. Syringolymphoid hyperplasia with alopecia, 95
VALDIMARSSON, H. *see* BAKER, B.S.
VAN DE KERKHOF, P.C.M., FLEUREN, E., VAN RENNES, H. and MIER, P.D. Metabolic changes in the psoriatic lesion during therapy, 411
VAN DE KERKHOF, P.C.M. *see* VERHAGEN, A.
VAN DEN HOOGENBAND, H.M. Subacute cutaneous lupus erythematosus (Summary), 113
VAN DER MEEREN, H.L.M. and THIJSSEN, J.H.H. Circulating androgens in male acne, 609
VAN ERP, P.E.J. *see* VERHAGEN, A.
VAN HATTUM, J. *see* BAART DE LA FAILLE, H.
VAN KETEL, W.G. Immunological investigations in patients with drug-induced skin eruptions (Summary), 112
VAN LENNEP, E.W. *see* KITSON, N.
VAN RENNES, H. *see* VAN DE KERKHOF, P.C.M.
VASILY, D.B. *see* GALBRAITH, G.M.P.
VERHAGEN, A., BERGERS, M., VAN ERP, P.E.J., GOMMANS, J.M., VAN DE KERKHOF, P.C.M. and MIER, P.D. Confirmation of raised phospholipase A_2 activity in the uninvolved skin of psoriasis, 731
VESTERINEN, E. *see* KARINIEMI, A.-L.
VICKERS, C.F.H. *see* GREAVES, M.W.
VICKERS, C.F.H. *see* PROTTEY, C.
VICKERS, R. U.K. qualifying examination in dermatology (Correspondence), 737
VILLASECA, M.L. *see* LAZARO, P.

WAHLSTRÖM, T. *see* KARINIEMI, A.-L.
WANG, F. *see* TING, H.C.
WANGEL, A.G., JOHANSSON, E. and RANKI, A. Polyclonal B-cell activation and increased lymphocyte helper–suppressor ratios in discoid lupus erythematosus, 665
WARIN, A. *see* GREAVES, M.W.
WARIN, A.P. *see* FREEMAN, K.
WATSON, B. *see* MAJEWSKI, B.B.J.
WEBSTER, G.F., ALEXANDER, J.C., MCARTHUR, W.P. and LEYDEN, J.J. Inhibition of chemiluminescence in human neutrophils by dapsone, 657
WECHSLER, J. *see* PROST, C.
WELLS, R.S. *see* HORTON, J.J.
WELLS, R.S. *see* NEILD, V.S.
WELLS, R.S. *see* ZACHARY, C.B.
WENZEL-HORA, B. *see* PARTSCH, H.
WHITE, S.I., MARSDEN, J.R., MARKS, J.M. and PROCTOR, S. Autoimmune haemolytic anaemia occurring in a patient with mycosis fungoides, 495
WILKINSON, J. *see* GREAVES, M.W.
WILLEMZE, R., DIJKSTRA, A. and MEIJER, C.J.L.M. Lymphocyte infiltration of the skin (Jessner): a T-cell lymphoproliferative disease, 523
WILLIAMS, D.L. *see* DYKES, P.J.
WILLIAMS, D.M. *see* LEONARD, J.N.
WOERDEMAN, M.J. Multiple agminate juvenile melanoma in a naevus-spilus-like hyperpigmented area (Summary), 119
WOERDEMAN, M.J., WOERDEMAN-EVENHUIS, J.D. and MONASCH, E. Acrokeratosis paraneoplastica (Basex syndrome) (Summary), 111
WOERDEMAN-EVENHUIS, J.D. *see* WOERDEMAN, M.J.
WONG, E., GREAVES, M.W. and O'BRIEN, T. Increased concentrations of immunoreactive leukotrienes in cutaneous lesions of eosinophilic cellulitis, 653
WOOD, M.L., HARRINGTON, C.I., SLATER, D.N., ROONEY, N. and CLARK, A. Cutaneous lymphomatoid granulomatosis: a rare cause of recurrent skin ulceration, 619
WOOD, M. *see* ROONEY, N.
WRIGHT, P. *see* LEONARD, J.N.
WRIGHT, S. *see* MANKU, M.S.
WULF, H.C. *see* POULSEN, J.T.

YAMADA, M. *see* IMAIZUMI, S.
YAMAMURA, T., AOZASA, K., HONDA, T., TAKADA, A., MAEDA, M. and SANO, S. Malignant fibrous histiocytoma developing in a burn scar, 725

ZACHARY, C.B., SLATER, D.N., HOLT, D.W., STOREY, G.C.A. and MACDONALD, D.M. The pathogenesis of amiodarone-induced pigmentation and photosensitivity, 451
ZACHARY, C.B. and WELLS, R.S. Centrifugal lipodystrophy, 107
ZHENG, P. *see* FALANGA, V.
ZIJDENBOS, A.M. and BALMUS, K.J. Pigmentation secondary to minocycline therapy (Summary), 117
ZWEIMAN, B. *see* KEAHEY, T.M.